

Left Plywood

left and right angle:

1' 4 15/16" x 24, 8 7/16" x 12

- 250 3' 6 3/8" x 1' 11 7/8"
- 251 3' 6 3/8" x 1' 11 7/8"
- 252 2' 9 7/8" x 1' 11 7/8"
- 253 2' 9 7/8" x 1' 11 7/8"
- 254 5' 10 3/4" x 1' 11 7/8"
- 255 5' 10 3/4" x 1' 11 7/8"
- 256 5' 5" x 1' 11 7/8"
- 257 3' 3 11/16" x 1' 11 7/8"
- 258 3' 4 1/2" x 1' 11 7/8"
- 259 5' 4 1/8" x 1' 11 7/8"
- 260 6' 10 7/8" x 1' 11 7/8"
- 261 4' 4 9/16" x 1' 11 7/8"
- 262 4' 8 3/4" x 1' 11 7/8"
- 263 6' 9 13/16" x 1' 11 7/8"
- 264 6' 3 5/16" x 1' 11 7/8"
- 265 5' 8 7/16" x 1' 11 7/8"
- 266 3' 6 3/16" x 2' 4 11/16" ((wider than others))
- 267 5' 9 3/8" x 1' 11 7/8"
- 268 6' 2 9/16" x 1' 11 7/8"

- 
- 269 5' 9" x 4 3/8" Gable Width Ruler
  - 270 8' x 4 3/8" Gable Width Ruler
  - 271 8' x 4 3/8" Gable Width Ruler
  - 272 5' 9" x 4 3/8" Gable Width Ruler

-----

Left Bevel Cut

- 201a 8' 11 3/8":Adjusted to fit window
- 201b 8' 10 5/16"
- 201c 6 15/16" :Adjust to fit window
- 202 8' 7 3/8"

- 203 7' 9 5/16"
- 204 6' 10 1/16"
- 205 5' 10 3/4"
- 206 4' 11 1/2"
- 207 4' 1/4"
- 208 3' 1"
- 209 2' 1 11/16"
- 210 1' 15/16"
- 211 8' 5/8"
- 212 7' 11 1/8":bottom bevel
- 213a 8' 11 3/8":Adjusted to fit window
- 213b 8' 10 5/16"
- 213c 6 15/16" :Adjust to fit window
- 214 8' 7 3/8"
- 215 7' 8 13/16"
- 216 6' 9 9/16"
- 217 5' 10 5/16"
- 218 4' 10 15/16"
- 219 3' 11 5/8"
- 220 3' 3/8"
- 221 2' 1 1/8"
- 222 1' 3/8"
- 223 8' 1 9/16"
- 224 7' 10 3/16":bottom bevel
- 231 1' 4 1/16" :Adjust to fit window
- 232 1' 4 1/16" :Adjust to fit window

-----  
 Left Square Cut

- 225 3' 6 3/8":leftHeader, Adjust to fit
- 226 3' 1/8"
- 227 7' 10":double 2x4
- 228 7' 10":double 2x4
- 229 2' 7 5/8":Adjust to fit window
- 230 2' 7 5/8":Adjust to fit window

- 233 4'
- 234 3' 6 3/8"

-----  
Left gable end supports

- 235 3 1/2 x 1' 10 3/16" square cut
- 236a 5 1/2" x 6 5/16" x 10 3/16" x 1 3/4"  
diagonal cut
- 236bc 5 1/2" x 1' 8 3/4" x 7/8" thick
- 237 3 1/2 x 1' 11" square cut
- 238a 5 1/2" x 6 5/16" x 10 3/16" x 1 3/4"  
diagonal cut
- 238bc 5 1/2" x 1' 8 3/4" x 7/8" thick

-----  
Plywood gable end support plates

- |                        |                       |
|------------------------|-----------------------|
| 273: Left Inside Front | 274: Left Inside Back |
| base: 1' 10 3/16"      | base: 1' 11"          |
| side1: 7 13/16"        | side1: 7 13/16"       |
| side2: 1' 11 1/2"      | side2: 2' 1/16"       |
| diagonal: 2' 3 3/16"   | diagonal: 2' 4 1/8"   |

-----  
Left Front rafter lift

- 702-1,2 5 1/2 x 1' 10 1/4" square cut
- 703-1,2 5 1/2 x 1' 10 1/4"
- 704-1,2 5 1/2 x 1' 10 1/4"
- 705-1,2 5 1/2 x 1' 10 1/4"
- 706-1,2 5 1/2 x 1' 10 1/4"
- 707-1,2 5 1/2 x 1' 10 1/4"
- 702-3 to 707-3, Grind top corners.  
5 1/2 x 1 3/4"thick x 7 13/16" x 11 11/16"

-----  
Left Front valley lift, Grind top corners.

- V1-1 3 1/2 x 1' 9 5/8" square cut

-V1-2 3 1/2 x 1' 11 5/8" square cut  
V1-3 1 3/4" x 9 15/16"wide x 6 1/8" x 10 15/16"  
diagonal cut

-----  
Left Back valley lift

-V4-1 3 1/2 x 1' 10" square cut  
-V4-2 3 1/2 x 1' 11 5/8" square cut  
V4-3 1 3/4" x 7 1/16"wide x 6 7/16" x 9 13/16"  
diagonal cut  
Grind top corners to eliminate point load.

-----  
Left Back rafter lift

--612-1,2 3 1/2 x 1' 10 5/16" square cut  
--613-1,2 3 1/2 x 1' 10 5/16"  
--614-1,2 3 1/2 x 1' 10 5/16"  
--615-1,2 3 1/2 x 1' 10 5/16"  
--616-1,2 3 1/2 x 1' 10 5/16"  
--617-1,2 3 1/2 x 1' 10 5/16"  
612-3 to 617-3, Grind top corners.  
3 1/2 x 1 3/4"thick x 7 3/4" x 10 1/4"  
diagonal cut