

Right Plywood

left and right angle:

1' 4 15/16" x 24, 8 7/16" x 12

- 350 3' 6 3/8" x 1' 11 7/8"
- 351 3' 6 3/8" x 1' 11 7/8"
- 352 2' 9 7/8" x 1' 11 7/8"
- 353 2' 9 7/8" x 1' 11 7/8"
  
- 354 5' 10 3/4" x 1' 11 7/8"
- 355 5' 10 3/4" x 1' 11 7/8"
- 356 4' 7 7/8" x 1' 11 7/8"
- 357 4' 5/8" x 1' 11 7/8"
- 358 3' 9 11/16" x 1' 11 7/8"
- 359 4' 11" x 1' 11 7/8"
  
- 360 6' 1 7/8" x 1' 11 7/8"
- 361 5' 4 1/2" x 1' 11 7/8"
- 362 5' 1 3/4" x 1' 11 7/8"
- 363 6' 4 15/16" x 1' 11 7/8"
  
- 364 4' 10 15/16" x 1' 11 7/8"
- 365 6' 5 3/4" x 1' 11 7/8"
  
- 366 3' 6 1/16" x 2' 4 11/16" ((wider than others))
  
- 367 6' 2 5/8" x 1' 11 7/8"
- 368 5' 2 5/16" x 1' 11 7/8"
  
- 369 7' 7 1/4" x 4 3/8" Gable Width Ruler
- 370 7' 6 3/4" x 4 3/8" Gable Width Ruler
- 371 7' 3 5/8" x 4 3/8" Gable Width Ruler
- 372 5' 5 13/16" x 4 3/8" Gable Width Ruler

-----  
Right Bevel Cut

-301a 8' 11 3/8" :Adjusted to fit window  
-301b 8' 10 5/16"  
-302 8' 2 3/8"  
-303 7' 3 1/16"  
-304 6' 3 3/4"  
-305 5' 4 9/16"  
-306 4' 5 1/4"  
-307 3' 7 13/16"  
-308 2' 8 13/16"  
-309 1' 11 1/4"  
-311 7' 8 11/16":bottom bevel  
-312a 8' 11 3/8" :Adjusted to fit window  
-312b 8' 10 5/16"  
-313 8' 4 1/2"  
-314 7' 5 1/4"  
-315 6' 6"  
-316 5' 6 11/16"  
-317 4' 7 7/16"  
-318 3' 8 1/8"  
-319 2' 7 3/8"  
-320 1' 10 3/4"  
-322 8' 1/4":bottom bevel  
329 1' 2 11/16"  
330 1' 2 3/4"

-----  
Right Square Cut

310a 1' 9 5/16"  
310b 5' 1/4"  
321a 1' 9 1/4"  
321b 4' 8 3/4"  
-323 3' 6 3/8":rightHeader, Adjust to fit  
-324 3' 1/8"  
  
-325 7' 10":double 2x4

- 326 7' 10":double 2x4
- 327 2' 7 5/8":Adjust to fit window
- 328 2' 7 5/8":Adjust to fit window
- 331 3' 6 3/8"

-----  
Right gable end supports

- 332 5' 5" square cut
- 333 1' 4 3/4" right bevel
- 334 2' 6 3/16" right bevel
- 335 4' 4" square cut
- 336 1' 4 11/16" right bevel
- 337 2' 6 3/16" right bevel

-----  
Right Front valley lift

- V2-1 2' 3/4" square cut
- V2-2 2' 2 1/8" square cut
- V2-3 1 3/4" x 6 1/4"wide x 9 5/16" x 1' 5/16"  
diagonal cut  
Grind top corners to eliminate point load.

-----  
Right Back valley lift

- V3-1 2' 3/4" square cut
- V3-2 2' 2 3/16" square cut
- V3-3 6 3/8"wide x 1 3/4"thick x 9 1/4" x 1' 5/16"  
diagonal cut  
Grind top corners to eliminate point load.