

Stainless Chimney Pipe from Basement:

DuraVent, DuraTech, Double Wall, Insulated

ID: 6", OD: 8" Length: 23' 7" plus cap

4 sections 60", 1 1/4" overlap, 6DT-60SSCF, 810000091

1 section 48", 1 1/4" overlap, 6DT-48SS, 810000088

Square Ceiling Support Box, HEIGHT:24"

 Cut 24" box to 1' 3 3/8", 6DT-CS24, 810000099

Wall Strap, 6DT-WS, 810000137

Adjustable Re-Support Bracket, 6DT-RES, 810008000

Firestop Radiation Shield, 6DT-FRS, 810000121

Angle Trim Collar for Roof Support, 6DT-RSTC9, 810000107

Adjustable Roof Support bracket, 6DT-ARS, 810007992

Large Base Roof Flashing, 6DT-F6L, 810000133

Storm Collar, 5DT-SC, 810000043

Chimney Cap, 6DT-VC, 810000135

--

Stainless Chimney Pipe from Second Floor:

DuraVent, DuraTech, Double Wall, Insulated

ID: 6", OD: 8" Length: 6' 10 3/4" plus cap

1 section 60", 1 1/4" overlap, 6DT-60SSCF, 810000091

1 section 24", 1 1/4" overlap, 6DT-24SSCF, 810000081

Locking Band, 6DT-LB, 810000136

Square Ceiling Support Box, HEIGHT:36", 6DT-CS36, 810000100

Cut 36" box corner 8 1/4" W x 5 13/16" H

Adjustable Roof Support bracket, 6DT-ARS, 810007992

Large Base Roof Flashing, 6DT-F6L, 810000133

Storm Collar, 5DT-SC, 810000043

Chimney Cap, 6DT-VC, 810000135

--

Order manufactured lumber in 2 foot length increments.

Valley Rafters: solid, 1 3/4 x 14

Too heavy, Try to lamianate

Roof Rafters: I-beam, 1 3/4 x 11 7/8

Ridge: I-beam, 2 5/16 x 9 1/2

--

Dimensions:

Roof Area: 1341 ft²

Total Valley Length: 87 ft

Total Ridge Length: 98 ft

Roof Perimeter for rake and drip edge: 175 ft