

Back Plywood

front and back angle:

1' 3 5/8" x 24", 7 13/16" x 12"

50 3' 6 3/8"

51 3' 6 3/8" x 1' 9 15/16"

52 3' 11/16" x 1' 11 7/8"

53 3' 11/16" x 1' 11 7/8"

54 6' 4 7/16" x 1' 11 7/8"

55 6' 4 7/16" x 1' 11 7/8"

56 5' 2 7/8" x 1' 11 7/8"

57 4' 2 1/4" x 1' 11 7/8"

58 4' 2 1/4" x 1' 11 7/8"

59 5' 2 13/16" x 1' 11 7/8"

60 5' 8 5/16" x 1' 11 7/8"

61 6' 6 3/8" x 1' 11 7/8"

62 6' 9 1/2" x 1' 11 7/8"

63 5' 8 3/16" x 1' 11 7/8"

64 7' 2 5/8" x 1' 11 7/8"

65 5' 3 1/8" x 1' 11 7/8"

66 3' 6 3/8" x 2' 4 3/8"

67 5' 3 3/16" x 1' 11 7/8"

68 7' 8 1/8" x 1' 11 7/8"

Back Bevel

- 1a 9' 1 7/8"
- 1b 9' 7/8" with block 1c
- 2a 9' 1 7/8"
- 2b 9' 7/8" with block 2c
- 3 8' 4 1/16"
- 4 8' 4"
- 5 7' 6 1/16"
- 6 7' 6 1/16"
- 7a 6' 8 1/8"
- 7b 6' 7 3/16"
- 8a 6' 8 1/8"
- 8b 6' 7 3/16"
- 9 5' 9 1/4"
- 10 5' 9 1/4"
- 11 4' 11 5/16"
- 12 4' 11 5/16"
- 13a 4' 1 3/8"
- 13b 4' 7/16"
- 14a 4' 1 3/8"
- 14b 4' 7/16"
- 15 3' 2"
- 16 3' 2"
- 17 2' 3 9/16"
- 18 2' 3 9/16"
- 19 1' 5 1/8"
- 20 1' 5 3/16"
- 21a 1' 2 1/4"
- 21b 1' 1 5/16"
- 22a 1' 2"
- 22b 1' 1 1/16"
- 23 6' 10 1/2"
- 24 6' 10 5/8"
- 33 2' 6 3/8"

- 34 2' 6 3/8"
- 35 1' 9 13/16"
- 36 1' 9 7/8"

Back Square cut

- 25 3' 11 1/8"
- 26 3' 11 3/16"
- 27 3' 6 3/8"
- 28 3' 1/8"
- 29a 6' 9 9/16"
- 29b 6' 9 9/16"
- 30a 6' 9 9/16"
- 30b 6' 9 9/16"
- 31a header: 6"actual x 3' 6 3/8"
- 31b header: 6"actual x 3' 6 3/8"
- 32 3' 6 3/8"
- 37 1' 7 1/8"
- 38 1' 7 1/8"
- 39 3' 11 1/4"
- 40 3' 11 1/4"
- 41 4' 7 3/8"
- 42 4' 7 13/16"
- 43 4' 8 3/8"
- 44 4' 8 3/8"
- 45 6' 5 1/16"
- 46 5' 6 9/16"

Back Plate Lift Support Posts, 2x4

47 3 1/2" x 9 1/2"

Quantity = 21 posts x 3 pieces each
(63 pieces total)

Plate extension on top of support posts, 2x4
Cut to fit at time of installation.

-48-1 9' 10 3/8" approximate
Adjust to fit existing attic joist locations.

-48-2 8' 7/16" approximate

-48-3 10' 7 11/16" approximate

Back ridge beam support post
On top of window header
2 5/16" x 10 5/16" x 3 1/2"