

Left Plywood

left and right angle:

1' 4 15/16" x 24, 8 7/16" x 12

- 250 3' 6 3/8" x 1' 11 7/8"
- 251 3' 6 3/8" x 1' 11 7/8"
- 252 2' 9 7/8" x 1' 11 7/8"
- 253 2' 9 7/8" x 1' 11 7/8"
  
- 254 5' 10 3/4" x 1' 11 7/8"
- 255 5' 10 3/4" x 1' 11 7/8"
- 256 5' 5" x 1' 11 7/8"
- 257 3' 3 11/16" x 1' 11 7/8"
- 258 3' 4 1/2" x 1' 11 7/8"
- 259 5' 4 1/8" x 1' 11 7/8"
  
- 260 6' 10 7/8" x 1' 11 7/8"
- 261 4' 4 9/16" x 1' 11 7/8"
- 262 4' 8 3/4" x 1' 11 7/8"
- 263 6' 9 13/16" x 1' 11 7/8"
  
- 264 6' 3 5/16" x 1' 11 7/8"
- 265 5' 8 7/16" x 1' 11 7/8"
  
- 266 3' 6 3/16" x 2' 4 11/16" ((wider than others))
  
- 267 5' 9 3/8" x 1' 11 7/8"
- 268 6' 2 9/16" x 1' 11 7/8"
  
- 269 5' 9" x 4 3/8" Gable Width Ruler
- 270 8' x 4 3/8" Gable Width Ruler
- 271 8' x 4 3/8" Gable Width Ruler
- 272 5' 9" x 4 3/8" Gable Width Ruler

## Left Bevel Cut

- 201a 8' 11 3/8":Adjusted to fit window
- 201b 8' 10 5/16"
- 201c 6 15/16" :Adjust to fit window
- 202 8' 7 3/8"
- 203 7' 9 5/16"
- 204 6' 10 1/16"
- 205 5' 10 3/4"
- 206 4' 11 1/2"
- 207 4' 1/4"
- 208 3' 1"
- 209 2' 1 11/16"
- 210 1' 15/16"
- 211 8' 5/8"
- 212 8' 1 9/16":bottom bevel
- 213a 8' 11 3/8":Adjusted to fit window
- 213b 8' 10 5/16"
- 213c 6 15/16" :Adjust to fit window
- 214 8' 7 3/8"
- 215 7' 8 13/16"
- 216 6' 9 9/16"
- 217 5' 10 5/16"
- 218 4' 10 15/16"
- 219 3' 11 5/8"
- 220 3' 3/8"
- 221 2' 1 1/8"
- 222 1' 3/8"
- 223 8' 1 9/16"
- 224 7' 10 3/16":bottom bevel
  
- 231 1' 4 1/16" :Adjust to fit window
- 232 1' 4 1/16" :Adjust to fit window

## Left Square Cut

-225 3' 6 3/8":leftHeader, Adjust to fit

-226 3' 1/8"

--227 7' 10":double 2x4

--228 7' 10":double 2x4

-229 2' 7 5/8":Adjust to fit window

-230 2' 7 5/8":Adjust to fit window

-234 3' 6 3/8"

-233 4'

## Left gable end supports

-235 3 1/2 x 1' 10 3/16" square cut

236ab 5 1/2" x 6 5/16" x 10 3/16" x 1 1/2", diagonal cut

-237 3 1/2 x 1' 11" square cut

238ab 3 1/2" x 6 1/4" x 8 3/4" x 1 1/2", diagonal cut

## Plywood gable end support plates

273: Left Inside Front

base: 1' 10 3/16"

side1: 7 13/16"

side2: 1' 11 1/2"

diagonal: 2' 3 3/16"

274: Left Inside Back

base: 1' 11"

side1: 7 13/16"

side2: 2' 1/16"

diagonal: 2' 4 1/8"

Left Front rafter lift

702-1,2 5 1/2 x 1' 10 1/4" square cut

703-1,2 5 1/2 x 1' 10 1/4"

704-1,2 5 1/2 x 1' 10 1/4"

705-1,2 5 1/2 x 1' 10 1/4"

706-1,2 5 1/2 x 1' 10 1/4"

707-1,2 5 1/2 x 1' 10 1/4"

702-3 to 707-3, Grind top corners.

5 1/2 x 1 3/4"thick x 7 13/16" x 11 11/16"

Left Front valley lift, Grind top corners.

-V1-1 3 1/2 x 1' 9 5/8" square cut

-V1-2 3 1/2 x 1' 11 5/8" square cut

V1-3 1 3/4" x 9 15/16"wide x 6 1/8" x 10 15/16"  
diagonal cut

Left Back valley lift

-V4-1 3 1/2 x 1' 10" square cut

-V4-2 3 1/2 x 1' 11 5/8" square cut

V4-3 1 3/4" x 7 1/16"wide x 6 7/16" x 9 13/16"  
diagonal cut

Grind top corners to eliminate point load.

Left Back rafter lift

--612-1,2 3 1/2 x 1' 10 5/16" square cut  
--613-1,2 3 1/2 x 1' 10 5/16"  
--614-1,2 3 1/2 x 1' 10 5/16"  
--615-1,2 3 1/2 x 1' 10 5/16"  
--616-1,2 3 1/2 x 1' 10 5/16"  
--617-1,2 3 1/2 x 1' 10 5/16"

612-3 to 617-3, Grind top corners.

3 1/2 x 1 3/4"thick x 7 3/4" x 10 1/4"  
diagonal cut

Left ridge beam support post

On top of window header

2 5/16" x 10 7/16" x 3 1/2"